

PRICE LIST



VW GOLF VIII R 20 YEARS

Kompakt (5H00) from 2022/06

www.optimma.lu

From the racetrack to the road

ABT[®]



ABT Engine Technology

	Description	Order No.	Price in Euro excl. VAT*
ABT Power	2.0 TSI 245 kW (333 HP), 420 Nm to approx. 294 kW (400 HP), 470 Nm engine code: DNFF	V3501520400DNFF/1	2.092,44 D
assembly	assembly per engine upgrade		252,10



In some cases, a TÜV certificate is only available at a later date. Please inform yourself before the performance increase whether the TÜV certificate for your vehicle variant is already available.

Please check the already installed tires with regard to the speed release. If the tire is not released up to the specified maximum speed, appropriate tires must be installed as an alternative to the ABT Power performance upgrade.

* Prices do not include VAT, freight charges and import costs.



ABT Sport Wheels

	Description	Order No.	Price in Euro excl. VAT*	
ABT wheel sets GR	ABT - SPORT GR20 GLOSSY BLACK - SPORT ALLOY WHEEL SET GR20 - 8,5 x 20 - bolt circle: 5/112 - offset: 45 - hub diameter: 57,1 mm - conus: 60° color: glossy black	FGRC2085451257GB-1-01	3.831,93	C
	ABT - SPORT GR20 MATT BLACK - SPORT ALLOY WHEEL SET GR20 - 8,5 x 20 - bolt circle: 5/112 - offset: 45 - hub diameter: 57,1 mm - conus: 60° color: matt black / diamond polished	FGRC2085451257MB-01	3.831,93	C
ABT complete wheel sets GR	ABT - SPORT GR20 GLOSSY BLACK - COMPLETE WHEEL SET GR20 - 8,5 x 20 - bolt circle: 5/112 - offset: 45 - hub diameter: 57,1 mm - conus: 60° color: glossy black - incl. tyre: 235/30 R20	GRC2085451257GB12353001	5.176,47	C
	ABT - SPORT GR20 GLOSSY BLACK - COMPLETE WHEEL SET GR20 - 8,5 x 20 - bolt circle: 5/112 - offset: 45 - hub diameter: 57,1 mm - conus: 60° color: matt black / diamond polished - incl tyre: 235/30 R20	GRC2085451257MB-23530-01	5.176,47	C
Montage	Montage per ABT complete wheel set		56,30	
ABT valves / RDKS	4 valve caps with ABT logo	ANA000010	23,53	C



FROM NOVEMBER 2014 ON ALL VEHICLES ARE EQUIPPED WITH A TIRE PRESSURE MONITORING SYSTEM.

1. Indirectly measuring tire pressure monitoring system: No sensors are needed in the rims, because the measurement is made via the tire circumference.
2. Directly measuring tire pressure monitoring system: The tire pressure monitoring sensors are installed directly in each wheel. Please indicate when ordering whether the vehicle has installed a directly or indirectly measuring system. With a directly measuring system, additional costs are incurred due to the integration of the sensors.

* Prices do not include VAT, freight charges and import costs.



ABT Suspension

	Description	Order No.	Price in Euro excl. VAT*	
ABT suspension springs	ABT - SUSPENSION SPRINGS FA-load: up to 1110 kg, RA-load: up to 980 kg lowering FA 20-25 mm, RA approx. 20-25 mm	5H005020010	352,94	C
assembly	assembly per Fahrwerksfedern		1.075,63	
ABT anti roll bars	ABT - ANTI-ROLL BARS for front- and rear axle auch passend für Fahrzeuge mit adaptivem Fahrwerk	8Y005023300	840,34	C
assembly	assembly per Sportstabilisatoren		361,34	



ABT Suspension products may imply restrictions when mounted. You can find about applying restrictions (lesser lowering of suspension setting on vehicles with sport suspension ex factory or no mounting on vehicles with certain features etc.) in ABT Configurator, at ABT partners or directly at ABT Sportsline.

It is possible that additional costs occur when mounting ABT Suspension products. These costs are not implied with the general assembly costs. Current manufacturer instructions have to be followed.