VW MULTIVAN MULTIVAN

T7

FROM 11/21 - 7T00

www.optimma.lu

17.11.2026 - 08:46:00

ABT Engine Technology

	Description	Order No.		Price in Euro excl. VAT*
ABT Power	systempower: 1,5 TSIe from 180 kW (245 HP), 350 Nm to approx, 201 kW (273 HP), 390 Nm enginepower: 1,5 TSIe von 130 kW (177 HP), 250 Nm to approx. 151 kW (205 HP), 290 Nm engine code: DUCA	7T001515205DUCA/1	D	2.008,40
	2,0 TDI 110 kW (150 HP), 360 Nm to approx. 132 kW (180 HP) 400 Nm engine code: DSSA	V3501520180DSSA/1	D	1.168,07
	2,0 TDI 110 kW (150 HP), 360 Nm to approx. 132 kW (180 HP) 400 Nm engine code: DZLA	V3501520180DZLA/1	D	1.168,07
Assembly	Assembly per AEC Leistungssteigerung			252,10

In some cases, a TÜV certificate is only available at a later date. Please inform yourself before the performance increase whether the TÜV certificate for your vehicle variant is already available.

Please check the already installed tires with regard to the speed release. If the tire is not released up to the specified maximum speed, appropriate tires must be installed as an alternative to the ABT Power performance upgrade.

ABT Sport Wheels

	Description	Order No.		Price in Euro excl. VAT*
Felgensätze GR	**ABT - SPORT GR20 GLOSSY BLACK - SPORT ALLOY WHEEL SET** GR20 - 8,5 x 20 - bolt circle: 5/120 - offset: 55 - hub diameter: 65,1 mm - ball: 28 mm color: glossy black	FGR12085552065GB-1-01	F	1.983,19
Komplettradsätze GR	**ABT - SPORT GR20 GLOSSY BLACK - COMPLETE WHEEL SET** GR20 - 8,5 x 20 - bolt circle: 5/120 - offset: 55 - hub diameter: 65,1 mm - ball: 28 mm color: glossy black - incl. tyre: 275/35 R20	GR12085552065GB1-25535-01	F	2.941,18
Felgen GR	**ABT - SPORT GR20 GLOSSY BLACK - RIM** GR20 - 8,5 x 20 - bolt circle: 5/120 - offset: 55 - hub diameter: 65,1 mm - ball: 28 mm color: glossy black	FGR12085552065GB-1	F	495,80
Ventile	**TYRE - PRESSURE - CONTROL - SYSTEM - SET (4 PIECES)** null	AN504022258/1		121,00
	ABT - VALVE CAPS 4 valve caps with ABT logo	ANA000010	C	23,53

FROM NOVEMBER 2014 ON ALL VEHICLES ARE EQUIPPED WITH A TIRE PRESSURE MONITORING SYSTEM.

1. Indirectly measuring tire pressure monitoring system: No sensors are needed in the rims, because the measurement is made via the tire circumference.

2. Directly measuring tire pressure monitoring system: The tire pressure monitoring sensors are installed directly in each wheel. Please indicate when ordering whether the vehicle has installed a directly or indirectly measuring system. With a directly measuring system, additional costs are incurred due to the integration of the sensors.

ABT Interior

	Description	Order No.		Price in Euro excl. VAT*
Interieur	**ABT - CAR KEY-COVER CUPRA / VW / SKODA** The exclusive ABT Key Cover stylishly protects your vehicle key and gives it a distinctive look. High-quality leather, red contrasting stitching, and the embossed ABT logo reflect the hallmark high quality of ABT. Fits only vehicles equipped exclusively with a 3-button remote key	ANA000006	C	75,63

ABT Suspension

	Description	Order No.		Price in Euro excl. VAT*
Fahrwerksfedern	**ABT - SUSPENSION SPRINGS** FA-load: up to 1510 kg, RA-load: up to 1460 kg lowering FA 30-35 mm, RA approx. 30-35 mm range of use: VW T7 7T00, 1,5l TSI (100kW), 2,0l TSI (150kW) only suitable for vehicles with 2WD, 5- and 6-seater	7T0050030 10	C	**462,18**
Fahrwerksfedern	**ABT - SUSPENSION SPRINGS** FA-load: up to 1510 kg, RA-load: up to 1460 kg lowering FA 30-35 mm, RA approx. 30-35 mm range of use: VW T7 7T00, 1,5l TSI (100kW), 2,0l TSI (150kW) only suitable for vehicles with 2WD, 7/8-seater	7T0050030 20	C	**462,18**
Fahrwerksfedern	**ABT - SUSPENSION SPRINGS** FA-load: up to 1510 kg, RA-load: up to 1460 kg lowering FA 30-35 mm, RA approx. 30-35 mm range of use: VW T7 7T00, 1,4l eHybrid (160kW), 2,0l TDI (110kW) only suitable for vehicles with 2WD, 5- and 6-seater	7T0050030 30	C	**462,18**
Fahrwerksfedern	**ABT - SUSPENSION SPRINGS** FA-load: up to 1510 kg, RA-load: up to 1460 kg lowering FA 30-35 mm, RA approx. 30-35 mm range of use: VW T7 7T00, 1,4l eHybrid (160kW), 2,0l TDI (110kW) only suitable for vehicles with 2WD, 7/8-seater	7T0050030 40	C	**462,18**
Fahrwerksfedern	**ABT - SUSPENSION SPRINGS** FA-load: up to 1563 kg, RA-load: up to 1580 kg lowering FA 30-35 mm, RA approx. 30-35 mm range of use: VW T7 7T00 (Bus, NF, MJ 2023) 1,5l eHybrid	7T0050030 50	C	**462,18**
Assembly	Assembly per Fahrwerksfedern			**1.075,63**

ABT Suspension products may imply restrictions when mounted. You can find about applying restrictions (lesser lowering of suspension setting on vehicles with sport suspension ex factory or no mounting on vehicles with certain features etc.) in ABT Configurator, at ABT partners or directly at ABT Sportsline.

It is possible that additional costs occur when mounting ABT Suspension products. These costs are not implied with the general assembly costs. Current manufacturer instructions have to be followed.

** Prices do not include VAT, freight charges and import costs.*